

## Extract from the Decree of the Minister for Agriculture and Food Economy of April 15, 1996 concerning execution of some regulations of the Seed Industry Law

Pursuant to Article 23 subparagraph 1–5, Article 41 subparagraph 1, Article 62 subparagraphs 1 and 2, Article 64 subparagraph and Article 70 paragraph 2 of the Seed Industry Law of November 24, 1995 (Official Journal No 149, text 724), the Minister decrees:

### CHAPTER I GENERAL PROVISIONS

#### Article 1

The Decree shall determine:

- (1) the list of cultivated plants of which the varieties are subject to entry into the Register with the confirmation of the satisfactory economic value as well as the list of cultivated plants of which the varieties are subject to entry into the Register without the confirmation of the satisfactory economic value;
- (2) the detailed provisions concerning application of entry of varieties into the Register and their removal, the denomination of varieties, their official examination, administration of the Register, and also concerning the carrying out inspection of the breeding or the maintenance by another way of varieties applied for or entered into the Register;
- (3) the provisions on the competence of the committees for the registration of varieties;
- (4) the detailed provision concerning application for the grant of the exclusive right and of the official examination of varieties, the grant and cancellation of the exclusive right as well as the administration of the Roll and the List;
- (5) the method and the procedure of carrying out the control of seed material;
- (6) the seats and the territorial competence of the Regional Inspectorates of the Seed Inspection;
- (7) the provisions of the half-year information concerning the trade in seed material;
- (8) the rates of the breeding duty.

### CHAPTER II REGISTER OF VARIETIES

#### Article 2

The list of cultivated plants of which the varieties are subject to entry into the Register with the statement of such cultivated plants of which the varieties are subject to entry into the Register after the confirmation of their satisfactory economic value, shall be determined in the [Annex I](#) to this Decree.

#### Article 3

1. An application for entry into the Register of a variety created in Poland or partly abroad or discovered in Poland must contain personal data of the creators of the variety.
2. An application for entry into the Register of a selected variety is subject to the consent of the breeder of the initial variety, if that variety is protected in the Polish Republic.
3. An application for entry into the Register of a hybrid is subject to the consent of the breeders of the primary components of the hybrid, if they are protected in the Polish Republic.
4. An application for entry into the Register of a variety of a cultivated plant must be accompanied by the results of examinations characterizing the economic value of the variety, if the confirmation of the satisfactory) economic value of that variety shall be required.

## Article 4

1. The Research Center for Varieties of Cultivated Plants (Centralny Ośrodek Badania Odmian Roślin Uprawnych), hereinafter referred to as the “Center”, shall inform the applicant of the variety about the date of the beginning and about the procedure of the official examination of the variety.
2. The quantity of income, costs and risk connected with the production, processing and trade of harvested material or of the products obtained by the exploitation of the variety shall be taken into account by the assessment of the economic value, and in the case of lack of such data the approximate criteria of that value, and in particular the yield, its quality, the resistance to unfavorable environmental factors as well as the variability of that criteria shall be taken into consideration.
3. The metodics of the official examination of varieties applied by the Center should take into account the obligatory or generally accepted international metodics and should be based on contemporary achievements of the science, agricultural experimentation and of the assessment of varieties of cultivated plants.

## Article 5

1. A denomination of a variety applied for the entry into the Register, with the reservation of [Article 6 paragraph 2](#), shall be written by the Latin alphabet with the use of letters and figures applied in the Polish spelling. A denomination of a variety does not:
  - (1) begin with a figure;
  - (2) be identical with the names, the letter's abbreviations or the acronyms of the States or of the international organizations;
  - (3) be identical with the units of the botanical taxonomy;
  - (4) underline values or characteristics of a variety;
  - (5) arouse the public objection.
2. A denomination submitted in the application may be changed before the entry of a variety into the Register.

## Article 6

1. A breeder of a selected variety shall apply it under denomination of its initial variety.
2. To the denomination of a selected variety a designation which indicate its breeder must be added. Such designation may consist of only one word or abbreviation.

## Article 7

An additional denomination (synonym) of a variety may be done as well before as after the entry of the variety into the Register.

## Article 8

The Center shall allow the breeder of the variety applied for or entered into the Register to make possible the inspection of its official examination, shall put at his disposal the elaborated results and also shall provide him information concerning this examination.

## Article 9

Failure to supply, in any one year, seed material of the variety by its breeder to the official examination constitutes grounds for prolonging the examination for other year. Failure to supply during two consecutive years seed material may constitute grounds for rejection of the entry of the variety into the Register.

## Article 10

A variety entered into the Register shall receive the consecutive registration number with addition of the capital letter preceding this number, namely:

- (1) R - for agricultural plants;
- (2) W - for vegetables;
- (3) O - for ornamentals;
- (4) S - for orchard plants (fruit trees and berry plants).

## Article 11

The Center shall keep the Record of the varieties applied for the enter into the Register.

## Article 12

A breeder of a variety applied for entry or entered into the Register ought supply to the Center information concerning applications, entries, extension of entries, removal or withdrawal of the variety filed for or registered in foreign registers of varieties as well in proper lists, catalogues or indexes of varieties, and also information concerning changes of denominations or synonyms of the variety.

## Article 13

1. The Center quarterly publishes in the Daily of the Center (Dziennik Centralnego Ośrodka Badania Odmian Roślin Uprawnych) information concerning application for entry and entries of varieties into the Register.

2. The information referred to in [paragraph 1](#) includes:

- (1) the dates of application, entry, refusal of entry and removal of the varieties;
- (2) the denominations and synonyms of the varieties and their changes;
- (3) the surnames and forenames or the trading names of breeders of the varieties and their changes.

3. The Director of the Center shall transmit to the Director of the Central Inspectorate of the Seed Inspection information concerning the application and acceptance to the official examination of the variety, its entry, refusal of entry and removal from the Register, as soon as in 15 days from the day of the relevant final decisions have been taken. The Director of the Center shall inform the Director of the Central Inspectorate of the Seed Inspection on the refusal of entry of the variety into the Register, if it results from the lack of distinctness, of a variety applied for as an original variety or its economic value is less than the economic value of particular varieties entered into the Register.

## Article 14

1. The Center shall agree with the breeder the term of the inspection of maintenance breeding, as soon as in 15 days before the intended term of its carrying out.

2. The inspection may encompass all objects in which maintenance breeding of the variety or maintenance of it by another way is carried out as well as the objects exploited by the breeder as by the persons who collaborate with him on grounds of suitable agreements.

3. The report on the inspection shall be made in two copies, of which one copy shall get the breeder of the variety and second copy the Center. The breeder of the variety is entitled to make reservations to the statements and conclusions contained in the report of the inspection, which shall be added to the report.

## Article 15

Committees for the registration of varieties (hereinafter referred to as "Committees") act in the domain of:

- (1) cereal plants;
- (2) maize;
- (3) pulses;
- (4) small-seed leguminous plants;
- (5) root plants;
- (6) potato;
- (7) oilseed plants;
- (8) fibre plants;

- (9) hop;
- (10) tobacco;
- (11) medicinal and seasonal plants;
- (12) vegetables;
- (13) ornamentals;
- (14) fruit trees and berry plants.

## CHAPTER III

### EXCLUSIVE RIGHT ON A VARIETY AND BREEDING DUTY

#### Article 16

1. To the matters concerning the exclusive right of the commercial exploitation of the variety, hereinafter referred to as the “exclusive right”, the provisions of [Articles 2, 5, 8, 9](#) and [10](#), with reservation of [paragraph 2](#), shall be applied mutatis mutandis.
2. The varieties of forest plants by their enter into the Roll shall receive the consecutive number proceeded by the capital letter L.

#### Article 17

1. A breeder who filed an earliest application abroad for the grant him the exclusive right, when he submits the application for the grant him this right in Poland, ought demand the claim to admit him the right of priority to the exclusive right, if he want to benefit by the right. To the application one ought:

- (1) add the copy of the application filed abroad certified by the authority which received that application;
- (2) supply the seed material and other documents which confirm that the variety is the subject matter of both applications is the same.

2. If the application for the grant of the exclusive right filed abroad is withdrawn by the breeder or if the competent authority has refused the grant of the exclusive right to the variety, its breeder shall inform on this fact the Center and shall submit the documents certifying the withdrawal of the application or the refuse of the grant of the exclusive right in six months as from the receipt of that documents.

#### Article 18

After the grant the breeder the exclusive right the Center may carry out in any time the official examinations which do verify distinctness, uniformity and stability of the protected variety.

#### Article 19

The breeder of the variety entered into the List or into the Rollought give to the Center in 60 days as from the day of obtaining the information concerning the filling of applications for the grant

of the exclusive right and also concerning the grant, the refusal of the grant, the declaring it as null or as cancel abroad as well as the information concerning changes of the denomination and synonyms of the variety connected with the exclusive right.

## Article 20

1. The Center publishes quarterly in the Daily of the Center information concerning application for the grant of the exclusive right and also concerning the cancellation of the right.

2. The information referred to in [paragraph 1](#) includes:

- (1) the dates of applications for the grant of the exclusive right, of the grant or refusal of the grant as well as of declaring as null or cancelled of that right;
- (2) the denominations of the varieties and their changes;
- (3) the surnames and forenames or trading names of the breeders and their changes.

**Article 21** as well as CHAPTER IV - CONTROL, TESTING AND TRADE OF SEED MATERIAL ([Articles 22 to 27](#)) and also [Annexes II, III and IV](#) - have been not translated because they do not concern the registration of varieties and the grant of the exclusive right.

## Article 28

This Decree enters into force after 14 days as from the day of its publication.

The Minister for Agriculture and Food Economy

(-) Roman Jagieliński

Annexes to the Decree

of the Minister for Agriculture and Food Economy

of April 15, 1996 (text 216 )

### ANNEX I

The list of cultivated plants of which the varieties are subject to entry into the Register

No	Cultivated plant	Latin name of cultivated plant
	1	2
1	Cereal plants	Agricultural plants
2	Buckwheat	Fagopyrum esculentum Moench
3	Barley <sup>1</sup>	Hordeum vulgare L.
4	Maize <sup>1</sup>	Zea mays L.
5	Oats <sup>1</sup>	Avena sativa L.
6	Common Millet	Panicum miliaceum L.
7	Durum Wheat	Triticum durum Desf.
8	Bread Wheat <sup>1</sup>	Triticum aestivum L. emend. Fiori et Paol.
9	Triticale <sup>1</sup>	x Triticosecale Wittm.
10	Spring Rye	Secale cereale L. f. vernalis
	Winter Rye <sup>1</sup>	Secale cereale L. f. nivalis
		Pulses



11	Field Bean <sup>1</sup>	Vicia faba L. var.minor Harz
12	Pea <sup>1</sup>	Pisum sativum L. ssp.sativum
13	White Lupin	Lupinus albus L.
14	Blue Lupin <sup>1</sup>	Lupinus angustifolius L.
15	Yellow Lupin <sup>1</sup>	Lupinus luteus L.
16	Soybean	Glycine max (L.) Merr.
17	Hairy Vetch	Vicia villosa Roth
18	Common Vetch	Vicia sativa L. ssp.sativa
19	Sainfoin	Small-seed leguminous plants
20	Major Bird's Foot Trefoil	Onobrychis viciifolia Scop.
21	Bird's Foot Trefoil	Lotus uliginosus Schkuhr
22	White Clover <sup>1</sup>	Lotus corniculatus L.
23	Red Clover <sup>1</sup>	Trifolium repens L.
24	Crimson Clover	Trifolium pratense L.
25	Persian Clover	Trifolium incarnatum L.
26	Alsike Clover	Trifolium resupinatum L.
27	Black Medick	Trifolium hybridum L.
28	Hybrid Lucerne <sup>1</sup>	Medicago lupulina L.
29	Lucerne <sup>1</sup>	Medicago sativa L. ssp.falcata x ssp. sativa
30	White Sweet Clover	Medicago sativa L. ssp.sativa
31	Eastern Goat's Rue	Melilotus albus Medik.
32	Serradella	Galega orientalis Lam.
33	Festulolium	Ornithopussativus Brot.
34	Red Fescue <sup>1</sup>	Grasses
35	Meadow Fescue <sup>1</sup>	x Festulolium
36	Sheep's Fescue	Festuca rubra L. sensu lato
37	Shade Fescue	Festuca pratensis Huds.
38	Tall Fescue	Festuca ovina L. sensu lato
39	Aschersonian Orchard Grass	Festuca heterophylla Lam.
40	Cocksfoot <sup>1</sup>	Festuca arundinacea Schreb.
41	Black Bent	Dactylis Aschersoniana Graebn.
42	Hybrid Bent	Dactylis glomerata L.
43	Common Bent	Agrostis gigantea Roth.
44	Intermediate Bent	Agrostis stolonifera L. x Agrostis canina L. et
45	Velvet Bent	Agrostis capillaris L. x Agrostis canina L.
46	Creeping Bent	Agrostis capillaris L.
47	Reed Canary Grass	Agrostis intermedia Veb.
48	Tall Oatgrass	Agrostis canina L.
49	Awnless Brome	Agrostis stolonifera L.
50	Rescue Grass	Phalaris arundinacea L.
51	Smaller Cat's-tail	Arrhenatherum elatius (L.) Beauv. J.S. et K.B.
52	Meadow Timothy	Presl
53	Swamp Meadow-grass	Bromus inermis Leyss.
54	Wood Meadow-grass	Bromus catharticus Vahl.
55	Smooth Stalked Meadow-grass <sup>1</sup>	Phleum bertolonii DC.
		Phleum pratense L.
		Poa palustris L.
		Poa nemoralis L.
		Poa pratensis L.



56	Annual Meadow-grass	Poa annua L.
57	Flattened Meadow-grass	Poa compressa L.
58	Meadow Foxtail	Alopecurus pratensis L.
59	Hybrid Ryegrass	Lolium x boucheanum Kunth.
60	Perennial Ryegrass <sup>1</sup>	Lolium perenne L.
61	Italian Ryegrass <sup>1</sup>	Lolium multiflorum Lam.
62	Westerwold Ryegrass <sup>1</sup>	Lolium multiflorum Lam. var. westerwoldicum Wittm.
63	Swede (fodder varieties)	Bulbous-, root- and turnipplants Brassica napus emend. Metzg. ssp.rapifera Metzg.
64	Sugar Beet <sup>1</sup>	Beta vulgaris L. ssp.vulgaris convar.vulgaris var.altissima Döll
65	Fodder Beet <sup>1</sup>	Beta vulgaris L. ssp.vulgaris convar.vulgaris var.rapacea K.Koch
66	Large-rooted Chicory	Cichorium intybus L. var.sativum DC.
67	Carrot (fodder varieties)	Daucus carota L. ssp.sativus (Hoffm.) Schubl. et G.Martens
68	Turnip (fodder varieties)	Brassica rapa L. emend. Metzg. ssp. rapa
69	Jerusalem Artichoke	Helianthus tuberosus L.
70	Potato <sup>1</sup>	Solanum tuberosum L. sensu lato
71	White Mustard	Oilseed plants Sinapis alba L. ssp.alba
72	Brown Mustard	Brassica juncea (L.) Czern.
73	Linseed	Linum usitatissimum L. convar. mediterraneum (Vavilov ex Ell.) Kulpa et Danert
74	Opium Poppy	Papaver somniferum L. ssp. somniferum
75	Oilseed Rape <sup>1</sup>	Brassica napus L. emend. Metzg. ssp. napus
76	Turnip rape	Brassica rapa L. emend. Metzg. ssp. oleifera (DC.) Metzg.
77	Fodder Radish	Raphanus sativus L. var. oleiformis Pers.
78	Common Sunflower	Helianthus annuus L.
79	Hemp	Fibre plants Cannabis sativa L. ssp. sativa
80	Flax <sup>1</sup>	Linum usitatissimum L. convar. usitatissimum
81	Hop	Special industrial plants Humulus lupulus L.
82	Syrian Tobacco	Nicotiana rustica L.
83	Common Tobacco <sup>1</sup>	Nicotiana tabacum L.
84	Scorpion Weed	Miscellaneous agricultural plants Phacelia tanacetifolia Benth.
85	Fodder Kale	Brassica oleracea L. ssp.oleracea convar.acephala (DC.) Alef. var.viridis et var.medullosa Thell.
86	Canary Grass	Phalaris canariensis L.
87	Turnip rape (fodder hybrids)	Brassica rapa L. emend. Metzg.
88	Fodder Common Sunflower	Helianthus annuus L.
89	Amaranth	Amaranthus cruentus L.
90	Winter Rye (for green fodder)	Secale cereale L. f.nivalis



		Medicinal and seasonal plants
91	Basil	<i>Ocimum basilicum</i> L.
92	Thorn Apple	<i>Datura inoxia</i> Mill.
93	Black Cumin	<i>Nigella sativa</i> L.
94	Summer Savory	<i>Satureja hortensis</i> L.
95	Blessed Thistle	<i>Cnicus benedictus</i> L.
96	Common Saint John's Wort	<i>Hypericum perforatum</i> L.
97	Celandine	<i>Chelidonium majus</i> L.
98	White Deadnettle	<i>Lamium album</i> L.
99	Cone Flower	<i>Echinacea purpurea</i> (L.) Moench
100	Caraway	<i>Carum carvi</i> L.
101	Coriander	<i>Coriandrum sativum</i> L.
102	Fennel	<i>Foeniculum vulgare</i> Mill. ssp. <i>piperitum</i> (Ucria) Cout.
103	Common Valerian	<i>Valeriana officinalis</i> L.
104	Milfoil	<i>Achillea millefolium</i> L.
105	Lovage	<i>Levisticum officinale</i> W.D.J.Koch
106	Sweet Majoram	<i>Origanum majorana</i> L.
107	Hollyhock	<i>Alcea rosea</i> L. var. <i>nigra</i> hort.
108	Balm	<i>Melissa officinalis</i> L.
109	Peppermint	<i>Mentha x piperita</i> L.
110	Pot Marigold	<i>Calendula officinalis</i> L.
111	Purple Foxglove	<i>Digitalis purpurea</i> L.
112	Grecian Foxglove	<i>Digitalis lanata</i> Ehrh.
113	Saint Mary's Thistle	<i>Silybum marianum</i> (L.) Gaertn.
114	Pepper	<i>Capsicum annuum</i> L.
115	Balladonna	<i>Atropa bella-donna</i> L.
116	Wild Chamomile	<i>Chamomilla recutita</i> (L.) Rauschert
117	Roman Chamomile	<i>Chamaemelum nobile</i> (L.) All.
118	Chinese Rhubarb	<i>Rheum palmatum</i> L. ssp. <i>palmatum</i>
119	Yellow Horn Poppy	<i>Glauicum flavum</i> Crantz
120	Common Sage	<i>Salvia officinalis</i> L.
121	Common Thyme	<i>Thymus vulgaris</i> L.
122	Evening Primrose	<i>Oenothera</i> L.
		Vegetables
		Onion plants
123	Potato Onion	<i>Allium cepa</i> L. var. <i>aggregatum</i> G.Don
124		<i>Allium x proliferum</i> (Moench) Schrad. ex Willd.
125	Onion <sup>1</sup>	<i>Allium cepa</i> L. var. <i>cepa</i> Helm
126	Garlic	<i>Allium sativum</i> L. var. <i>sativum</i>
127	Leek <sup>1</sup>	<i>Allium porrum</i> L. var. <i>porrum</i>
128	Chives	<i>Allium schoenoprasum</i> L.
		Pumpkin plants
129	Pumpkin	<i>Cucurbita maxima</i> Duch.
130	Marrow, Squash	<i>Cucurbita pepo</i> L
131	Watermelon	<i>Citrullus lanatus</i> Matsum. et Nakai ssp. <i>vulgaris</i>
132	Melon	<i>Fusa</i> var. <i>vulgaris</i>
133	Cucumber a) varieties grown outdoor <sup>1</sup> b)	<i>Cucumis melo</i> L.
		<i>Cucumis sativus</i> L.



	varieties grown under cover	Cabbage plants
134	Broccoli	<i>Brassica oleracea</i> L. ssp. <i>oleracea</i> convar. <i>botrytis</i> (L.) Alef. var. <i>italica</i> Plenck
135	Borecole	<i>Brassica oleracea</i> L. ssp. <i>oleracea</i> convar. <i>acephala</i> (DC.) Alef. var. <i>sabellica</i> L.
136	Cauliflower <sup>1</sup>	<i>Brassica oleracea</i> L. ssp. <i>oleracea</i> convar. <i>botrytis</i> (L.) Alef. var. <i>botrytis</i>
137	Kohlrabi	<i>Brassica oleracea</i> L. ssp. <i>oleracea</i> convar. <i>caulocarpa</i> (DC.) Alef. var. <i>gongylodes</i> L.
138	Brussels Sprouts	<i>Brassica oleracea</i> L. ssp. <i>oleracea</i> convar. <i>fruticosa</i> (Metzg.) Alef. var. <i>gemmifera</i> DC.
139	Paksoi	<i>Brassica rapa</i> L. emend. Metzg. ssp. <i>chinensis</i> (L.) Hanelt
140	White Cabbage <sup>1</sup>	<i>Brassica oleracea</i> L. ssp. <i>oleracea</i> convar. <i>capitata</i> (L.) Alef. var. <i>capitata</i> L. <i>f.alba</i> DC.
141	Red Cabbage	<i>Brassica oleracea</i> L. ssp. <i>oleracea</i> convar. <i>capitata</i> (L.) Alef. var. <i>capitata</i> L. <i>f.rubra</i> DC.
142	Chinese Cabbage	<i>Brassica rapa</i> L. emend. Metzg. ssp. <i>pekinensis</i> (Lour.) Hanelt
143	Savoy Cabbage	<i>Brassica oleracea</i> L. ssp. <i>oleracea</i> convar. <i>capitata</i> (L.) Alef. var. <i>sabauda</i> L.
		Root plants
144	Red beet <sup>1</sup>	<i>Beta vulgaris</i> L. ssp. <i>vulgaris</i> convar. <i>vulgaris</i> var. <i>vulgaris</i>
145	Horse Radish	<i>Armoracia rusticana</i> ph.Gaertn. B.May et Schreb.
146	Carrot (edible varieties) <sup>1</sup>	<i>Daucus carota</i> L. ssp. <i>sativus</i> (Hoffm.) Schubl. et G.Martens
147	Turnip-rooted Parsley	<i>Petroselinum crispum</i> (Mill.) Nym. ex A.W.Hill convar. <i>radicosum</i> (Alef.) Danert
148	Celeriac <sup>1</sup>	<i>Apium graveolens</i> L. var. <i>rapaceum</i> (Mill.) Gaud.
149	Black Salsify	<i>Scorzonera hispanica</i> L.
		Turnip plants
150	Swede (edible varieties)	<i>Brassica napus</i> L. emend. Metzg. ssp. <i>rapifera</i> Metzg.
151	Turnip (edible varieties)	<i>Brassica rapa</i> L. emend. Metzg. ssp. <i>rapa</i>
152	Black Radish	<i>Raphanus sativus</i> L. var. <i>niger</i> (Mill.) s.Kerner
153	Radish	<i>Raphanus sativus</i> L. var. <i>sativus</i>
		Leaf plants
154	Salad Chicory	<i>Cichorium intybus</i> L. var. <i>foliosum</i> Hegi
155	Endive	<i>Cichorium endivia</i> L.
156	Parsley	<i>Petroselinum crispum</i> (Mill.) Nym. ex A.W.Hill convar. <i>crispum</i>
157	Rhubarb	<i>Rheum rhabarbarum</i> L.
158	Head Lettuce	<i>Lactuca sativa</i> L. var. <i>capitata</i> L.
159	Leaf Lettuce	<i>Lactuca sativa</i> L. var. <i>crispa</i> L.
160	Asparagus Lettuce	<i>Lactuca sativa</i> L. var. <i>angustana</i> hort. ex L.H.Bailey



161	Cos Lettuce	Lactuca sativa L. var. longifolia Lam.
162	Celery	Apium graveolens L. var. dulce (Mill.) Pers.
163	Garden Sorrel	Rumex acetosa L.
164	Spinach	Spinacia oleracea L.
		Solanaceous plants
165	Husk-tomato	Physalis ixocarpa Brot ex Hornem.
166	Eggplant	Solanum melongena L.
167	Pepper	Capsicum annuum L.
168	Tomata a) varieties grown outdoor with red fruits <sup>1</sup> b) varieties grown under cover	Lycopersicon esculentum Mill. nom cons. var.esculentum
169	Cherry Tomato	Lycopersicon esculentum Mill. nom cons. var.cerasiforme (Dun.) A. Gray
		Pulses
170	Broad Bean	Vicia faba L. var.major Harz
171	Runner Bean	Phaseolus coccineus L.
172	Dwarf French Bean <sup>1</sup>	Phaseolus vulgaris L. var.nanus (L.) Aschers.
173	Climbing French Bean	Phaseolus vulgaris L. var.vulgaris
174	Garden Sugar Pea	Pisum sativum L. ssp.sativum convar.axiphium Alef. emend. C.O.Lehm.
175	Garden Pea <sup>1</sup>	Pisum sativum L. ssp.sativum convar.medullare Alef. emend. C.O.Lehm. et convar.sativum
176	Chickling Vetch	Lathyrus sativus L.
177	Lentil	Lens culinaris Medik.
	Miscellaneous vegetables	
178	Dill	Anethum graveolens L.
179	Sweet Fennel	Foeniculum vulgare Mill. ssp.vulgare var.azoricum (Mill.) Thell.
180	Sweet Maize	Zea mays L. convar.saccharata Koern.
181	Popcorn Maize	Zea mays L convar.microsperma Koern.
182	Parnsip	Pastinaca sativa L.
183	Cornsalad	Valerianella locusta (L.) Laterr.
184	Asparagus	Asparagus officinalis L.
	Edible mushrooms	
185	Cultivated Mushroom	Agaricus bisporus (Lange) Sing.
		Ornamentals
186	French Marigold	Tagetes patula L.
187	Striped Mexican Marigold	Tagetes tenuifolia Cav.
188	African Marigold	Tagetes erecta L.
189	China Aster	Callistephus chinensis (L.) Nees
190	Perpetual Begonia	Begonia x semperflorens-cultorum H.K.Krauss
191	Cockscomb	Celosia cristata L.
192	Youth and Age	Zinnia elegans Jacq.
193	Californian Poppy	Eschscholzia californica Cham.
194	Godetia	Clarkia amoena (Lehm.) A.Nels et Macbr. ssp.lindleyi (Dougl.)F.H.Levis et M.E.Levis
195	Sweet Pea	Lathyrus odoratus L.
196	Clarkia	Clarkia unguiculata Lindl.
197	Everlasting	Helichrysum bracteatum (Vent.) Andr.



198	Flame Nettle	Coleus blumei Benth.
199	Common Stock	<i>Matthiola incana</i> (L.) R.Br.
200	True Lobelia of Gardens	<i>Lobelia erinus</i> L.
201	Sweet Alyssum	<i>Lobularia maritima</i> (L.) Desv.
202	Plains Coreopsis	<i>Coreopsis tinctoria</i> Nutt.
203	Pot Marigold	<i>Calendula officinalis</i> L.
204	Garden Balsam	<i>Impatiens balsamina</i> L.
205	New Guinea Impatiens	<i>Impatiens</i> New Guinea
206	Busy Lizzie	<i>Impatiens walleriana</i> Hook.
207	Petunia	<i>Petunia x hybrida</i> Vilm.
208	Cone Flower	<i>Rudbeckia hirta</i> L.
209	Common Sunflower	<i>Helianthus annuus</i> L.
210	Scarlet Sage	<i>Salvia splendens</i> Buc'hoz ex Et1.
211	Candytuft	<i>Iberis amara</i> L.
212	Candytuft	<i>Iberis umbellata</i> L.
213	Common Garden Verbena	<i>Verbena x hybrida</i> Voss
214	Common Snapdragon	<i>Antirrhinum majus</i> L.
215	Feverfew	<i>Tanacetum parthenium</i> (L.) Schultz Bip.
216	Floss Flower	<i>Ageratum houstonianum</i> Mill.
		Biennial plants
217	Pansy	<i>Viola x witrockiana</i> Gams
218	Alpine Forget-me-not	<i>Myosotis alpestris</i> F.W.Schmidt
219	Hollyhock	<i>Alcea rosea</i> L.
220	True Daisy	<i>Bellis perennialis</i> L.
		Perennial plants not surviving winter outdoor
221	Tuberous Begonia	<i>Begonia x tuberhybrida</i> Voss
222	Dahlia	<i>Dahlia x cultorum</i> Thorsr. et Reis.
223	Gladiolus	<i>Gladiolus x hybridus</i> hort.
224	Ivy-leaved Pelargonium	<i>Pelargonium peltatum</i> hort. non (L.) L'Hérit. ex Ait.
225	Zonal Pelargonium	<i>Pelargonium x hortorum</i> L.H.Bailey
226	Show and Fancy Pelargonium	<i>Pelargonium x domesticum</i> L.H.Bailey
		Perennial plants
227	Periwinkle	<i>Vinca</i> L.
228	Chrysanthemum	<i>Dendranthema</i> x <i>grandiflorum</i> (Ramat.)
229	Plantain Lily	<i>Hosta</i> Tratt.
230	Garden Iris	<i>Iris x barbata</i> hort.
231	Lily	<i>Lilium</i> L.
232	Day Lily	<i>Hemerocallis</i> L.
233	Daffodil	<i>Narcissus</i> L.
234	Chinese Peony	<i>Paeonia lactiflora</i> Pall.
235	Tulip	<i>Tulipa</i> L.
236	Heather	<i>Calluna</i> Salisb.
237	Heath	<i>Erica</i> L.
238	Statice	<i>Limonium</i> Mill.
239	Shasta Daisy	<i>Leucanthemum maximum</i> (Ram.) DC.
		Trees and shrubs
240	Butterfly Bush	<i>Buddleja davidii</i> Franch.



241	Yew	Taxus L.
242	False Cypress	<i>Chamaecyparis</i> Spach
243	Forsythia	<i>Forsythia</i> Vahl
244	Flowering Crabapple	<i>Malus</i> Mill.
245	Juniper	<i>Juniperus</i> L.
246	Mock Orange	<i>Philadelphus</i> L.
247	Pennsylvanian Ash	<i>Fraxinus pennsylvanica</i> Marsh.
248	Horse Chestnut	<i>Aesculus hippocastanum</i> L.
249	Diervilla	<i>Weigela</i> Thunb.
250	Lilac	<i>Syringa</i> L.
251	Larch	<i>Larix</i> Mill.
252	Shrubby Cinquefoil	<i>Potentilla fruticosa</i> L.
253	Clematis	<i>Clematis</i> L.
254	Rhododendron	<i>Rhododendron</i> L.
255	Pine	<i>Pinus</i> L.
256	Spruce	<i>Picea</i> A.Dietr.
257	Rose <sup>x</sup>	<i>Rosa</i> L.
258	Thuya	<i>Thuja</i> L.
Plants grown under cover		
259	Alocasia	<i>Alocasia</i> x <i>amazonica</i> André
260	Alstroemeria	<i>Alstroemeria</i> x <i>hybrida</i>
261	Anthurium	<i>Anthurium</i> x <i>scherzerianum</i> hort. non Schott
262	Anthurium	<i>Anthurium</i> x <i>cultorum</i> Birdsey
263	Begonia	<i>Begonia</i> L.
264	Chrysanthemum	<i>Dendranthema</i> x <i>grandiflorum</i> (Ramat.) Kitamura
265	Persian Cyclamen	<i>Cyclamen persicum</i> Mill.
266	Freesia	<i>Freesia</i> x <i>hybrida</i> hort.
267	Gerbera	<i>Gerbera jamesonii</i> H.Bol.ex Hook.
268	Carnation	<i>Dianthus caryophyllus</i> L.
269	Kalanhoë	<i>Kalanhoë</i> x <i>hybrida</i> hort.
270	Slipper Flower	<i>Calceolaria</i> x <i>herbeohybrida</i> Voss
271	Primrose	<i>Primula vulgaris</i> Huds.
272	African Violet	<i>Saintpaulia ionantha</i> H.Wendl.
273	Gloxinia	<i>Sinningia</i> x <i>hybrida</i> hort.
274	Cape Primrose	<i>Streptocarpus</i> x <i>hybridus</i> Voss
275	Cineraria	<i>Senecio</i> x <i>hybridus</i> Hyl.
276	Poinsettia	<i>Euphorbia pulcherrima</i> Willd. ex Klotzsch
277	Amaryllis	<i>Hippeastrum</i> x <i>hortorum</i> Maatsch
Fruit trees		
278	Peach <sup>x</sup>	<i>Prunus persica</i> (L.) Batsch
279	Sweet Cherry <sup>x</sup>	<i>Prunus avium</i> (L.) L.
280	Pear <sup>x</sup>	<i>Prunus communis</i> L.
281	Apple <sup>1 2x</sup>	<i>Malus domestica</i> Borkh.
282	Hazelnut	<i>Corylus</i> L.
283	Apricot	<i>Prunus armeniaca</i> L.
284	Walnut	<i>Juglans regia</i> L.
285	Quince <sup>xx</sup>	<i>Cydonia oblonga</i> Mill.
286	Plum <sup>1 2x</sup>	<i>Prunus domestica</i> L.



287	Japanese Plum <sup>x</sup>	Prunus salicina Lindl.
288	Sour Cherry <sup>1,2</sup>	Prunus cerasus L.
289	Plum and Cherry <sup>x</sup> (other species)	Prunus L. Berry plants
290	Chokeberry	Shrubs
291	Gooseberry	Aronia melanocarpa (Milchx.) Elliot
292	Swamp Blueberry	Ribes grossularia L.
293	Blackberry	Vaccinium corymbosum L.
294	Black Raspberry	Rubus fruticosus L.
295	Raspberry	Rubus occidentalis L.
296	White Currant	Rubus idaeus L.
297	Black Currant <sup>1,2</sup>	Ribes niveum Lindl.
298	Red Currant	Ribes nigrum L.
299	Grapevine	Ribes sylvestre (Lam.) Mert et W. Koch
300	American Cranberry	Vitis L.
301	Wild Strawberry	Vaccinium macrocarpon Ait.
302	Strawberry <sup>1</sup>	Perennial plants
		Fragaria vesca L.
		Fragaria x ananassa Duch.

The explanations of the superscripts:

- (1) To the varieties of cultivated plants marked with the superscript “1” the provision of the satisfactory economic value as the condition of the entry into the Register shall be applied confirming to Article 6 paragraph 1 subparagraph 1 of the Law.
- (2) The cultivated plants marked with the superscript “2” shall be deemed as multiyears plants confirming to Article 6 paragraph 2 subparagraph 3 and paragraph 3 of the Law.
- (3) The cultivated plants marked with the superscript “x” encompass as well fructifying or blooming varieties as varieties for rootstocks.
- (4) The cultivated plants marked with the superscript “xx” encompass varieties exclusively for rootstocks.

Remark of the translator:

The English names of cultivated plants are mainly cited after UPOV “List of the taxa protected in the Member States of UPOV and in Chile, Colombia, Paraguay and the Russian Federation” - see UPOV document C(29)6 of October 9, 1995.

The Latin names of cultivated plants, confirming UPOV directive, are cited after Zander “Handwörterbuch der Pflanzennamen”, 15 Auflage, 1994 - Ulmer, Stuttgart, Germany.